

BHARAT SANCHAR NIGAM LIMITED

(A Government of India Enterprise)

NOTICE INVITING E-TENDER

OFFICE OF THE EXECUTIVE ENGINEER (CIVIL) BSNL CIVIL DIVISION BILASPUR

Name of work:-Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank of T.E. Building and other miscellaneous Civil works at Naila, District:- Janjgir-Champa.

Estimated Cost: Rs. 5,05,508.00 (Rupees Five Lakh Five Thousand Five Hundred Eight) only.

Kindly submit your bid online as this tender is invited through E-Tendering on or before date & time specified in NIT / Tender document

Certified that this Tender Documents contains 32 pages only.

To be submitted only online on the website: https://etenders.gov.in/eprocure/app/BSNL by 18:00 Hrs on 06.05.2024

Addition	Deletion	Correction	Overwriting
Contractor	. Engineer In Charge		Page 1 of 32

NAME OF WORK:- Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank of T.E. Building and other miscellaneous Civil works at Naila, District:-Janjgir-Champa.

INDEX

SI.	DETAILS	PAG	SES
No.	DETAILS	FROM	ТО
1)	Cover Page	1	1
2)	Index	2	2
3)	Information and Instructions for bidders for e-tendering	3	4
4)	BSNL W-6	5	8
5)	BSNL W-8	9	10
6)	Proforma of Schedules	11	13
7)	General Conditions of Contract	14	14
8)	Additional Conditions	15	16
9)	Additional Specifications	17	21
10)	Preferred List of Various Items/Products	22	22
11)	Proforma of Agreement	23	24
12)	Form of Performance Security Bank Guarantee Bond	25	25
13)	Undertaking for no near relative in BSNL, Chhattisgarh Circle	26	26
14)	Affidavit	27	27
15)	Schedule of quantity	28	32

Addition	Deletion	Correction	Overwriting

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR E-TENDERING

- 1. The intending bidder must read the terms and conditions of BSNL-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- Information and instructions for bidders posted on website https://etenders.gov.in/eprocure/app/BSNL shall form part of bid document. If not registered, the intending tenderers should get themselves registered with https://etenders.gov.in/eprocure/app/BSNL, as per instructions on the web site, by paying the prescribed fees
- 3. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website https://etenders.gov.in/eprocure/app/BSNL.
- 4. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed deposit receipts towards cost of bid document and EMD in favour of **Account Officer (Cash) O/o GM BSNL Bilaspur BA** and Processing Fee if applicable and other documents as specified.
- 5. Those contractors not registered on the website mentioned above, are required to get registered beforehand.
- 6. The intending bidder must have valid class-III digital signature to submit the bid.
- 7. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- 8. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- 9. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 10. Contractor can upload documents in the form of JPG format and PDF format.
- 11. The scanned documents as per Annexure 'B' have to be uploaded on e-tendering portal before closing of e-tendering.
- 12. The self-attested hard copies of documents as per Annexure 'B' have to be submitted along with technical bid before closing technical bid as stipulated in the bid document including GST Registration. If such document is not uploaded or submitted, his bid will become invalid and processing fee shall not be refunded.
- 13. If the contractor is found ineligible after opening of bids, his bid shall become invalid and processing fee if any shall not be refunded.
- 14. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the contractor the bid shall become invalid and processing fee if any shall not be refunded.
- 15. Contractor must ensure to quote rate of each item. Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- 16. Conditional tender shall be rejected.
- 17. The department reserves the right to reject any prospective application with assigning reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria. The bidder may ask the bidding conditions, bidding process and/ or rejection of its bid. The reasons for rejecting a tender or non-issuing a tender document to a prospective bidder must be disclosed where enquiries are made by the bidder.
- 18. In case of difference in submission of document in submitted hard copies and scanned uploaded copies, the tender shall be summarily rejected.
- 19. Tender document can be obtained by downloading it from the E-Tender link of website www.upe.bsnl.co.in and follow Link for E-Tenders by BSNL or https://etenders.gov.in/eprocure/app/BSNL.
- 20. If the date fixed for opening of bids is subsequently declared as holiday by the BSNL, the revised date will be notified. However, in absence of such notification, the bids will be opened on next working day, time and venue remaining unaltered.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 3 of 32

(A) <u>LIST OF MANDATRY</u> <u>DOCUMENTS TO BE SCANNED AND UPLOADED ON e- TENDERING PORTAL BEFORE CLOSING OF e - BIDDING</u>

- 1. Demand draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR against EMD.
- 2. Demand draft/Pay order or Banker's Cheque of any Scheduled Bank towards cost of Bid document.
- Enlistment order of the contractor.
- 4. Certificates of Work Experience, if applicable.
- 5. GST Registration No.
- 6. Employee Provident Fund Registration No.
- 7. Undertaking of no near relative in BSNL.
- 8. A self declaration that the bidder is not black listed by GST authorities.
- 9. Undertaking required as para-22 of BSNL W-6.
- 10. Proof of Submission of cost of Bid Processing fee, if applicable.
- 11. Power of Attorney attached, if applicable.

(B) LIST OF DOCUMENTS TO BE SUBMITTED IN HARD COPY ALONG WITH TECHNICAL BID BEFORE CLOSING OF TECHNICAL BID

- 1. Demand draft/Pay order or Banker's Cheque/Deposit at Call Receipt/FDR against EMD.
- 2. Demand draft/Pay order or Banker's Cheque of any Scheduled Bank towards cost of Bid document.
- 3. Enlistment order of the contractor.
- 4. Certificates of Work Experience, if applicable.
- 5. GST Registration No.
- 6. Employee Provident Fund Registration No.
- 7. Undertaking of no near relative in BSNL.
- 8. A self declaration that the bidder is not black listed by GST authorities.
- 9. Undertaking required as para-22 of BSNL W-6.
- 10. Proof of Submission of cost of Bid Processing fee, if applicable.
- 11. Power of Attorney attached, if applicable
- Note: 1. The bidders must note that Rates to be quoted must be exclusive of contribution towards EPF and ESIC. The EPF and ESIC shall be reimbursed on production of receipt of deposit in this regard along with the invoice for the work.
 - Contractor must note that at present the rate of GST for this work, is 18%. The bidders are advised to get familiarise themselves thoroughly in this regard before bidding. The Quoted rates should be inclusive of GST.
 - 3. In Case the supplier gets blacklisted during the tenure of BSNL Contract, then adequate indemnity clause shall have to be fulfilled by bidder to ensure that no loss of input tax credit is borne by BSNL due to default of supplier / Agency.
 - 4. The successful bidders shall have to submit the proof of registration of ESIC before award of work.

Executive Engineer (Civil)

BSNL Civil Division

Bilaspur

For & on behalf of Bharat Sanchar Nigam Limited

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 4 of 32

BHARAT SANCHAR NIGAM LIMITED

(Government of India Enterprise) (CIVIL WING) NOTICE INVITING E-TENDER

NIT No. 01/2024-25/BSNL/CD/BILASPUR

Date: 24.04.2024

Item rate e-tenders are invited on behalf of BHARAT SANCHAR NIGAM LTD. (A Government of India Enterprise) from approved and eligible contractors of D.O.T/BSNL, Deptt. of Post, CPWD, CGPWD (Building works), MES & Railways having valid EPF & GST Registration for the work of "Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank of T.E. Building and other miscellaneous Civil works at Naila, District:- Janjgir-Champa".

- The enlistment of the contractors should be valid on the last date of submission of bids, In case the last date
 of submission of bid is extended, the enlistment of contractor should be valid on the original last date of
 submission of bids.
- 1.1 The work is estimated to Cost Rs. 5,05,508.00 (Rupees Five Lakh Five Thousand Five Hundred Eight) only.
- 1.2 Eligibility of the contractor will be valid provided they submit proof of satisfactory completion of the work as below:
- 1.2.1 Criteria of eligibility for e-tendering for non-BSNL registered contractors:
- 1.2.1.1 For works up to Rs.7 Lakhs Nil
- 1.2.1.2 For works above Rs.7 Lakhs and up to Rs. 5 Cr and all specialized works irrespective of its cost, the applicant should have completed works as per details below during the last seven years ending last day of the month previous to the one in which the tenders are invited.
 - a) Three similar completed works costing not less than the amount equal to 40% of estimated cost. i.e. Rs. NIL

or

b) Two similar completed works costing not less than the amount equal to 50% of estimated cost. i.e. Rs. NIL

or

c) One similar completed works costing not less than the amount equal to 80% of estimated cost. i.e. Rs. NIL

For the purpose of this clause 'similar works' means the work of "Building Works & associated Services" executed in Central Government/State Government/Public Sector Undertakings. The experience certificate is to be issued from an officer not below the rank of Executive Engineer in charge of the work.

- 2.0 Agreement shall be drawn with the successful Tenderer on prescribed Form No. BSNL W-8, which is available as a BSNL Publication/BSNL Web site www.civil.bsnl.co.in. Tenderer shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.
- 3.0 The time allowed for carrying out the work will be <u>3 (Three) Months</u> from the <u>tenth day</u> after the date of issue of letter of award of work or from the first day of handing over of the site, whichever is later, in accordance with phasing, if any, indicated in the Tender Document.
- 4.0 The site for the work is available, OR shall be made available.
- 5.0 Bid documents consisting of specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen & down loaded from website: https://etenders.gov.in/eprocure/app/BSNL.
 - i) The last date of submission of bids online will be 06.05.2024 by 18:00 hrs.
 - ii) The date of submission of eligibility documents, EMD, tender cost and proof of e- tender Processing fee if any (After submission of online bid) in the Office of the Executive Engineer (Civil), BSNL Civil Division, Raj Kishore Nagar Telephone Exchange, IInd Floor, Bilaspur (Chhattisgarh), Pin 495006 will be 09.05.2024 by 15:00 hrs.
 - iii) The date of opening of technical bid (Eligibility Credential, Tender cost, EMD, Bid processing fee if any) will be 09.05.2024 at 15:30 hrs.
 - iv) The date of opening of financial bid will be 13.05.2024 at 11.00 hrs.
- 6.0 After submission of the bid the contractor can re-submit revised bid any number of times but before last date and time of submission of bid as notified.
- 7.0 While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last date and time of submission of bid as notified).

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 5 of 32

- 8.0 Interested contractors who wish to participate in the bid had also to make following payments in the form of demand Draft/Pay order or Banker's cheque or any scheduled Bank and to be scanned and uploaded to the-Tendering website within the period of bid submission.
 - (i) Cost of Bid document: (Rs. 500+18%GST)= Rs.590/- (Rs. Five Hundred Ninety) only including GST (Non refundable) as demand drafts/ pay orders or Banker's Cheque of a scheduled bank drawn in favour of Account Officer (Cash) O/o GM BSNL Bilaspur BA.
 - (ii) E-Tender Processing Fee (Non refundable) online through IPG (Credit/Debit card) & Net Banking if applicable.
 - (iii) The tender shall be accompanied by Earnest money of Rs. 10,110/- (Rupees Ten Thousand One Hundred Ten) only in the form of Banker's Cheque / fixed deposit receipt / demand draft of a scheduled bank issued in favour of Account Officer (Cash) O/o GM BSNL Bilaspur BA. When amount of earnest money is more than Rs. 5 lakhs, part of the earnest money is acceptable in the form of Bank Guarantee also. In such case, minimum 50% of earnest money (but not less than Rs. 5 lakh) or Rs. 25 lakh, whichever is less, will have to be deposited in the shape prescribed above. For balance amount of earnest money, bank guarantee will also be acceptable

Note: Money due to contractor in any other work or earnest money of the previous call of the same work shall not be adjusted towards earnest money. The 'Cost of tender' and 'Earnest money' should be submitted through separate instruments.

9.0 Submission of Eligibility Credential

i)

- a) Demand draft or pay order or Banker's cheque or deposit at Call Receipt or FDR against EMD, and Demand draft or pay order or Banker's cheque towards cost of bid documents shall be placed in single sealed envelope superscripted as "Earnest Money, cost of Bid document".
- b) "Proof of Submission of cost of Bid Processing fee" with name of work and due date of opening of the bid also mentioned thereon shall also be placed in same envelope as under i) (a) above.
- ii) Copy of enlistment order and certificate of work experience and other documents as specified shall be scanned and uploaded on the e-Tendering web site within the period of bid submission and certified copy of each shall be deposited in a separate envelop marked as "Other documents".
- iii) Both the envelopes shall be placed in another envelop with due mention name of work, date and time of opening of bids and to be submitted in the "Office of the Executive Engineer (Civil), BSNL Civil Division, Raj Kishore Nagar Telephone Exchange, IInd Floor, Bilaspur (Chhattisgarh), Pin 495006" on or before last date & time of submission of technical bid as already mentioned in para 5.
 - Online bid documents submitted by intending bidders shall be opened only of those bidders, whose earnest money Deposit, Cost of Bid document and e-Tender Processing Fee and other documents placed in the envelop are found in order.

The bid submitted shall become invalid and cost of bid & e-Tender processing fee shall not be refunded if:

- i) The bidder is found ineligible.
- ii) The bidder does not upload all the documents (including GST Registration / EPF Registration) as stipulated in the bid document.

Note: In case the eligibility credentials are not found in order at any stage i.e. before award of work or during execution of the work or after completion of the work, the contractor will be debarred from tendering in BSNL for three years including any other action under the contract or existing law.

- Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general, shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials tools & plants, water, electricity, access facilities for workers and on all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
- 11.0 The competent authority on behalf of Bharat Sanchar Nigam Limited does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 6 of 32

- 12.0 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 13.0 The competent authority on behalf of the Bharat Sanchar Nigam Limited reserves with himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 14.0 The company or firm or any other person shall not be permitted to tender for works in BSNL Civil Zone in which his near relative (s) (directly recruited or on deputation in BSNL) is/are posted in any capacity either non-executive or executive employee. Near relative (s) for this purpose is/are defined as:
 - i) Member of Hindu Undivided family (UHF).
 - ii) They are Husband and Wife.
 - iii) The one is related to other in the manner as father, mother, son(s) & Son's wife (daughter-in-law), Daughter(s), Daughter's husband (son-in-law), brother(s), brother's wife, sister(s), sister's husband (brother-in-law).

The contractor shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any executive employee / gazetted officer in the BSNL or Department of Telecom or in the Ministry of Communications.

All the intending tenderers will have to give a certificate that none of his/her such near relative (s) as defined above is/are working in the concerned BSNL Civil Zone where he is going to apply for tender/work. The format of the certificate is as under:-

"[Shri	Resident of	
	that none of my relative (s) as defined		
case at any	stage, it is found that the informatio	n given by me is false/incorrect	BSNL shall have the
absolute right	t to take any action as deemed fit withou	ut any prior intimation to me".	

The certificate in case of Proprietorship Firm shall be given by the proprietor; for Partnership Firm certificate shall be given by all partners and in case of Limited Company, by all Directors of the company. However, Government of India/Financial Institutions nominees and independent non-official part-time Directors appointed by Govt. of India or the Governor of the State are excluded from the purview of submission of this certificate while submitting tenders by Limited Companies.

Any breach of these conditions by the Company or Firm or any other person, the tender/work will be cancelled and Earnest Money/ Security Deposit will be forfeited at any stage, whenever it is so noticed. BSNL will not pay any damages to the company or Firm or the concerned person but damages arising on account of such cancellation to be borne by the contractor. The Company or Firm or the person will also be debarred for further participation in the tender in the concerned BSNL Civil Zone. Further, any breach of this condition by the tenderer would also render him liable to be removed from the approved list of contractors or BSNL. If however the contractor is registered in any other Department he shall also be debarred from tendering in BSNL for any breach of this condition.

- 15.0 No Engineer of Gazetted rank or other Gazetted Officer employed in engineering or administrative duties in an Engineering Department of the Government of India/State Government or PSU's is allowed to work as a contractor for a period of two years after his retirement from Govt. service, without previous permission of the Govt. of India or BSNL in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. of India/State Government or PSU's as aforesaid before submission of the tender or engagement in the contractor's service.
- The tender for the work / financial bid shall remain open for acceptance for a period of 30 (Thirty)

 Days from the date of opening of the financial bid. If any tenderer withdraws his tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 17.0 In case of works having estimated cost below Rs.15,00,000/-, the successful tenderer shall be required to execute an agreement with the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of award by the BSNL. In the event of failure on the part of the successful tenderer to sign the agreement, the earnest money will be forfeited and tender cancelled. In case of works of estimated to cost Rs. 15,00,000/- and above, the successful tenderer shall, upon issue of letter of acceptance of Tender, shall be required to furnish performance Guarantee @ 5% of the tendered value in the form of irrevocable bank Guarantee of requisite amount to the Engineer-in-charge in the Performa annexed to the tender document, within 15 days of the issue of letter of acceptance of Tender by the BSNL. In the event of failure on the part of the successful tenderer to furnish the Bank Guarantee within 15 days, the earnest money will be forfeited and tender cancelled.
- 18.0 This Notice Inviting Bid shall form a part of the Contract Document. In accordance with clause 1 of the contract, the letter of acceptance shall be issued first in favour of the successful Tenderer/Contractor.

	Contract,	uic	iellei	OI 6	acceptance	SHAII D	c issu	cu ilisi	III Iavoi	ui Oi	uic	successii	ai i	enderen/Contrac	ioi.
Additior)			D	eletion			Correc	ction	-				Overwriting	
Contra	actor		E	Engir	neer In Chai	rge								Page 7 of	32

After submission of the performance guarantee, the letter of award shall be issued. The contract shall be deemed to have come into effect on issue of letter of acceptance of the tender. On issue of letter of award, the successful Tenderer/Contractor shall, within 30 days from such date, formally sign the agreement consisting of: -

- a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender, and, as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- b) Standard BSNL W-8 as on website: www.civil.bsnl.co.in with up to date correction.
- c) Agreement signed on non-judicial stamp as per performa annexed to the tender document.
- 19.0 Payment to the contractors shall be made through e-payment system like ECS & EFT as detailed below:
 - a) In cities/areas where ECS/EFT facility is provided by Banks, the tenderer must have Account in such ECS/EFT facility providing Banks and that Bank A/c No shall be quoted in the tender by the tenderer.
 - b) The cost of ECS/EFT will be borne by BSNL in all cases where the payment to contractor is made in a local Branch i.e. tenderer is having bank account in the same place from where the payment is made by BSNL unit
 - c) In case payment is made to outside branch i.e. tenderer is having bank account not in the same place form where the payment is made by BSNL unit, the crediting cost will have to be borne by the **tenderer** only.
 - d) The payments to contractors will compulsorily be made through ECS/EFT in respect of all contracts where the value of the contract is more than Rs. 10 lakhs.
- 20.0 First running account bill shall be paid only after:
 - a) Signing of the Agreement/Contract by both the parties, and
 - b) Progress chart has been prepared as required under Clause 5 and approved by the competent authority.
- 21.0 General conditions of contract for works in BHARAT SANCHAR NIGAM LIMITED are available on website www.civil.bsnl.co.in with up to date correction slips as well as in the Divisional Office.
- 22.0 Contractor shall have to submit an Undertaking:

 "If I/We do not submit the physical bid documents/ Technical Bid consecutively three times after submission of online bids, it shall be treated as breach of condition and action shall be taken to withdraw my/our enlistment/ debar me/us from tendering in BSNL for six months."

Note:

Kindly submit your bid online as this tender is invited through E-Tendering on or before date & time specified in NIT / Tender document. Bidders are advised to see the website till the date of opening of Tender for any amendment/ clarification/corrigendum/addendum. For further detailed information, kindly visit Website https://etenders.gov.in/eprocure/app/BSNL.

Signature and Name of Divisional Officer

Date: 24.04.2024

(Chandra Sen Gupta)
Executive Engineer (Civil),
BSNL Civil Division,
Bilaspur
For & on behalf of Bharat Sanchar Nigam Limited.

File No. 25 (2)/2023-24/BSNL/CD/BILASPUR/130

Copy to for wide publicity:

- $\label{eq:continuous} \text{(i)} \quad \text{The Sr. Chief Engineer (C) BSNL Civil CG Zone, Raipur.}$
- (ii) The General Manager, BSNL Bilaspur BA, CG.
- (iii) The IFA to the General Manager Bilaspur BA, CG w.r.t. depute competent account person on Tender opening date please.
- (iv) The Executive Engineer (C) BSNL Civil Division, Raipur.
- (v) The Executive Engineer, CPWD, Raipur/Bilaspur.
- (vi) The SDE(C) BSNL Civil Sub-Division Raipur/Bilaspur/Bastar.
- (vii) The A.E. Postal Civil Sub-division, Raipur/Bilaspur.
- (viii) The AO (Cash) O/o the GM, BSNL Bilaspur BA.
- (ix) The SDE (P&D) BSNL Civil Division Bilaspur.
- (x) Notice Board.
- (xi) Web Site www.chhattisgarh.bsnl.co.in.

			Executive Engineer (Civil)
Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 8 of 32

BHARAT SANCHAR NIGAM LIMITED (A GOVERNMENT OF INDIA ENTERPRISE)

STATE: Chhattisgarh CIRCLE: Raipur

DIVISION: Bilaspur

ZONE : Chhattisgarh SUB-DIVISION : Bilaspur

Item Rate E-Tender & Contract for Works

Tender for the work of :- Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank of T.E. Building and other miscellaneous Civil works at Naila, District:-Janjgir-Champa.

The last date of submission of bids online will be 06.05.2024 by 18:00 Hrs.

- The last date of submission of eligibility documents, EMD, tender cost and proof of e- tender processing fee if any (After submission of online bid) in the Office of the Executive Engineer (Civil), BSNL Civil Division, Raj Kishore Nagar Telephone Exchange, IInd Floor, Bilaspur (Chhattisgarh), Pin 495006 will be 09.05.2024 by 15:00 Hrs.
- ii) The date of opening of technical bid (Eligibility Credential, Tender cost, EMD, Bid Processing fee if any) will be 09.05.2024 at 15:30 Hrs
- iii) The date of opening of financial bid will be 13.05.2024 at 11.00 Hrs.

E-TENDER

I/ We have read and examined notice inviting tender, schedule, A, B, C, D, E & F, specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.

I/ We hereby tender for the execution of the work specified for the Bharat Sanchar Nigam Limited within the time specified in schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/ We agree to keep the tender open for **30** (**Thirty**) **Days** from the date of opening of the financial bid thereof and not to make any modifications in its terms and conditions. If I/we withdraw my/our tender before the said period or issue of letter of acceptance/intent, whichever is earlier, or, make any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

A sum of Rs. 10,110/- (Rupees Ten Thousand One Hundred Ten) only has been deposited in prescribed manner as Earnest Money. If I/We fail to commence the work specified I/We agree that the said Bharat Sanchar Nigam Limited shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by competent authority on behalf of the Bharat Sanchar Nigam Limited towards Security Deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

I/We agree that, in case of works of estimated cost exceeding Rs.15,00,000/- to deposit an amount equal to 5% of Tendered value of the work as Performance Guarantee in the form of bond of any Scheduled Bank of India in accordance with the Proforma prescribed or in the form of Fixed Deposit Receipt etc., within 15 days of the issue

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 9 of 32

Name and Designation
Signature
For & on behalf of the Bharat Sanchar Nigam Limi
n part of this Contract Agreement:
).
—
ACCEPTANCE /ou (Contractor) and as provided in the letters mentioned hereunde ne Bharat Sanchar Nigam Limited for a sum of

Postal Address: -
() Signature of Contractor
t to junishiculon of Court at Chaspul Only. (Where the MIT/Tender has t
t to jurisdiction of Court at Bilaspur only." (Where the NIT/Tender has b
oned in the form of invitation of tender shall be absolutely forfeited to a same may at the option of the competent authority on behalf of the Bh without prejudice to any right or remedy available in law out of the deperms of the said bond and in the event of deficiency out of any other monerwise. hand is as per Proforma enclosed.
nce the work specified in the above memorandum, an amount equal to
reat the tender documents drawings and other records connected with s and shall not communicate information derived there-from to any pe m/are authorised to communicate the same or use the information in State.
where the ECS/EFT facility of e-payment is available.
rest in the second of the seco

Page **10** of **32**

Contractor..... Engineer In Charge.....

PROFORMA OF SCHEDULES							
(0	perative Schedules to I	oe supp	lied sep	arately to each of	the intending te	nderer)	
SCHEDULE	"Δ"						
	Quantities (enclosed)						
SCHEDULE							
	Materials to be issued to						
S. No.	Description of Item		which t	n figures & words he materials will from the contractor	be	ce of issue	
1	2	3	N	4 II.		5	
SCHEDULE	"C"						
Tools and Pl	ants to be hired to the co	ntractor					
S. No.	Description of Item		Hire ch	narges per day	Place	of issue	
1	2			3		4	
			DELE	TED			
SCHEDULE	"D"						
	ule for specific requireme	nts/ doc	uments f	or the work, if any.			
SCHEDULE	"E"						
Schedule of	component of Materials,	Labour (etc. for e	scalation.			
<u> </u>							
CLAUSE 10			/ "	DELETED 75 %		DELETED	
Component of Materials "X expressed as percent of Total Value of Work			(75 %		DELETED	
Component of Labour expressed as percent of Total Value of Work			("	25 %	25 % DELE		
percent of To	of POL expressed as otal Value of Work	"	Z "	0 % DELETED		DELETED	
CLAUSE 10				Not-Applicable			
CLAUSE 10	D			Not-Applicable			
SCHEDULE	"F"						
Reference to	General Conditions of C	contract					
Name of Wo			Prov	iding and fixing	barbed wire fe	encing, making	
			arrar	Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank			
			1	of T.E. Building and other miscellaneous Civil			
				works at Naila, District:- Janjgir-Champa.			
Estimated Co	ost of Work		1	Rs. 5,05,508.00 (Rupees Five Lakh Five Thousand			
Earnest Mon	10V			Five Hundred Eight) only.			
Lamest WON	ı c y		only.	Rs. 10,110/- (Rupees Ten Thousand One Hundred Ten)			
Performanc	e Guarantee		7		NA		
(5 % of the tendered value in the form of Bank Guarantee from Scheduled Bank in respect of works with estimated cost put to tender exceeding Rs.15 Lakhs).							
Security Deposit (10 % of the tendered value for works with estimated cost put to tender up to Rs. 15 Lakhs) (5 % of the tendered value in the form					@ 10 %		
Addition	Deletion)		Correction	-	Overwriting	

Page **11** of **32**

Contractor..... Engineer In Charge.....

of Bank Guarantee from Scheduled Bank in respect of works with estimated cost put to		
tender exce	eeding Rs. 15 Lakhs).	
GENERAL	RULES AND DIRECTIONS	
	viting Tender	Executive Engineer (Civil), BSNL Civil Division, Bilaspur.
	percentage for quantity of items of	F00/
	executed beyond which rates are mined in accordance with Clause	50%
12.2 & 12.3		
Definitions	•	See below
2(v)	Engineer-in-Charge	Executive Engineer (Civil), BSNL Civil Division, Bilaspur.
	•	Executive Engineer (Civil), BSNL Civil Division, Bilaspur.
2(viii)	Accepting Authority	Executive Engineer (Civil), BSNL Civil Division, Bhaspur.
2(x)	Percentage on cost of materials and labour to cover all	10 %
	overheads and profit.	10 /0
2(xi)	Standard Schedule of Rates	CPWD DSR-2021
9(ii)	Standard BSNL Contract Form	BSNL W 8 form as modified and corrected up to date as on
O ()	Startagra Botte Gottaget Term	opening of tender.
Clause 2		
	Authority for fixing compensation under Clause 2	Executive Engineer (Civil), BSNL Civil Division, Bilaspur.
Clause 2 A		
	Whether Clause 2 A shall be	No
	applicable.	
Clause 3		
	Whether Clause 3 A shall be	No
Clause 5	applicable.	
	Time allowed for execution of	3 (Three) Months.
i)	work.	
ii)	Authority to give fair and reasonable extension of time for completion of work.	Executive Engineer (Civil), BSNL Civil Division, Bilaspur.
Clause 6 A		
	Whether Clause 6 A shall be applicable.	Yes
Clause 7		
	Gross value of work to be done	
	together with net payment	lst & Final Bill
	/adjustment of advances for	
	materials collected, if any, since	
	the last such payment for being eligible to interim payment.	
Clause 10	ongible to interim payment.	
2.3400 10	Reinforcement steel to be used	TMT Bars Fe 500 Grade confirming to IS 1786:2008
	in the work shall have to be	from approved brands like SAIL TISCO, RINL or
	procured as below :	equivalent.
Clause 10		
	Testing of material	The contractor shall, at his risk and cost, make all
		arrangements and shall provide all facilities as the
		Engineer-in-Charge may require for collecting, and
		preparing the required number of samples for such tests.
		Samples of various materials required for testing shall be provided free of charge by the contractor. However
		the cost of the tests shall be paid by the contractor
		which shall be reimbursed by BSNL, only if the test
		reports are satisfactory. The test shall be got done
		only from lab approved by the Engineer-In-Charge.
Clause 11		
	Specification to be followed for	C.P.W.D. Specifications 2019 (Volume I to II) with up to

Addition	Deletion	Correction	Overwriting
Contractor	Page 12 of 32		

	execution of work. date correction slip.									
Clause 12										
12.2 & 12.3	Deviation limit trade beyond v not apply and c	vhich sub	clauses	12.1.2 (i)	to (v) shall			50%		
Clause 16										
	Competent aut	hority for	deciding r	educed r	ates.	Chief E		(Civil) BS	(Civil), O/o the NL Civil Circle,	
Clause 36					. ff					
	idelines for fixing shall be as per t				and rate (orrecove	ry in ca	se of non-	-compliance,	
SI. No.	Minimum Qualification of Technical Representative	Discipline	Designation	Representative)	Minimum Experience		Number	Rate at which recovery shall be	made from the contractor at the event of not fu filling provision of Clause 36(i)	
	Minii		۵)	<u>r</u>	Μ			Fig ure s	Wor	
1.	Graduate/ Diploma	Civil	Tech	cipal inical entative	1 0		1	Rs.15,000/	Fifteen Thousand Only per month	
The tenderer may note that payment/ TDS of GST shall be made as per Govt. of India Rules with latest amendments. BSNL shall not entertain any claim whatsoever in this respect. They have to submit their GST registration number. Contractor must note that at present the rate of GST for this work is 18%. Contractor may also note that the Government of India has notified the provision of TDS w.e.f. 01.10.2018. The bidders are advised to get familiarise themselves thoroughly in this regard before bidding. The Quoted rates should be inclusive of GST. The bidders must note that Rates to be quoted must be exclusive of contribution towards EPF/ESIC. The EPF/ ESIC shall be reimbursed on production of receipt of deposit in this regard along with the invoice for the work.							e to submit their is work is 18%. n of TDS w.e.f. regard before			
Clause 4										
i) (a)		ceme	ent on the l	basis of	ical quantities	of [hedule of inted by C	FRates 2021 CPWD.	
ii)					quantities out to tender					
a)	Cement		nore than F					3 % mir	nus	
b)	Steel reinforce diameter, section	ii) More ment and	than 5 lakl structura	hs		each		2 % mir 2 % mir	nus	
Star prices to be considered for escalation & recoveries										
SI. No.	Material					(R	ate Per l	Star Pri MT in Figu	ce res and Words)	
1	For Cement (OPC)							Rs. XXX		
2(a)										
2(b) 2(c)	Grade) For Reinforcem	For Reinforcement Steel conforming to BIS 1786 (Fe 500D Grade) For Reinforcement Steel TMT bars confirming to IS 1786:2008 from approved brands like SAIL, TISCO, RINL or equivalent.								
2(d)	For Galvanized		-, -	,		-				
	The ra	te for rec	covery un	der clau	se 42 shall l	oe same	as the	star price	Э.	

Addition	Deletion	Correction	Overwriting
Contractor	Page 13 of 32		

GENERAL CONDITIONS OF CONTRACT

- 1.0 The "Contract" shall, in general, be governed by the BSNL General Conditions of Contract for Civil Works (A BSNL publication, available in downloadable manner from website www.civil.bsnl.co.in) consisting of:
 - a) General Rules and Directions,
 - b) Conditions of Contract,
 - c) Various standard clauses with correction(s) up to the date stipulated in Schedule 'F' of Tender Document,
 - d) Safety Code,
 - e) Modal Rules for the protection of Health and Sanitary arrangements for Workers employed by BSNL or its contractors,
 - f) Contractor's Labour Regulations,
 - g) Proforma of Registers, and
 - h) List of Acts and omissions for which fines can be imposed.
- 2.0 However, all additions and modifications to the conditions as available in this tender document consisting of:
 - a) Notice Inviting Tender (i.e., BSNL W-6),
 - b) BSNL W-8 (i.e., Item Rate Tender & Contract for Works),
 - c) Schedules "A" to "F",
 - d) Additional Conditions
 - e) Additional Specifications, and
 - f) Drawings and designs, if any,
 - g) Including agreement/ guarantee bonds on non-judicial stamp paper and acceptance thereof together with any correspondence leading thereto shall also form part of the contract.
- 3.0 The quoted rates for various items in the tender shall be inclusive of all the additional conditions/ specifications and particular specifications and for adherence to all these conditions and specifications, no extra payment shall be made to the contractor. Any infringement and/or breach of these specification and condition(s) etc. shall render the contractor liable to action(s) under various clauses of the contract and such action stipulated in conditions therein.
- **4.0** Wherever any reference to any Indian Standard (BIS) Specifications occurs in the documents relating to this contract, the same shall be inclusive of all up to date amendments or revisions.
- **5.0** Wherever "DSR" is referred to in the tender documents, it shall mean "CPWD Delhi Schedule of Rates 2021" with all up to date correction slips as on the date of opening of tenders.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 14 of 32

ADDITIONAL CONDITIONS

1.0 GENERAL

- 1.1 The contractor shall take sufficient safety measures to safeguard life and property of BSNL (structures, offices, roads, trees and plants including electrical, water supply, sanitary and BSNL communication installations etc) inside the compound during execution of the work and shall be fully responsible for the damages on this account, if any.
- 1.2 No payment shall be made to the contractor for any damage caused during the execution of work because of cause(s) not covered under Clause 43 of the Contract (Like damage caused by rain, lightning, wind, storm, snow fall, floods, earth quake or any other natural cause/calamity etc). The damage to work will be made good by the contractor at his own cost, and no claim on this account shall be entertained.
- 1.3 The contractor shall comply with proper and legal orders and directions of the local or public authority or municipality and abide by their rules and regulations and pay all fees and charges which he may be liable and nothing extra shall be payable on this account. The work shall be carried out without infringing on any of the local Municipal Bye-Laws.
- 1.4 The contractors shall give a performance test of the entire installations as per standard specifications before the work is finally accepted and nothing extra what so ever shall be payable to the contractor for the tests.
- 1.5 The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards such as day and night boards, speed limit boards and flags, red lights and providing barriers etc. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of work. Nothing extra shall be paid on this account.
- 1.6 The contractor will work in close liaison, during the works, with other contractors of electrical installation and any other works and adjust his work plan accordingly.
- 1.7 The contractor will have to extend full cooperation for contingent measures, which might be required to be taken due to eventuality.
- 1.8 The contractor will maintain discipline while working in the Compound. He or his employees will not indulge in any dispute with any Govt. employee/public inside the compound and any default in this regard will be brought to the notice of the Engineer-in-Charge immediately.
- 1.9 Cleanliness of the compound will be maintained and any debris/ material falling in the compound in area in use of the staff/ public will be got cleared by the Agency regularly during the progress of work.
- 1.10 All works executed shall be maintained in perfect condition by the contractor till the completion of entire work allotted to him. Where phased handing over of completed portion of the work is required by the Engineer-in-Charge, the provisions mentioned in the above paras will apply to each phase.

2.0 STORAGE AND SAFETY OF MATERIALS

- 2.1 The Contractor shall maintain safe custody of materials brought to the site. The Contractor shall also employ necessary watch and ward establishment for the work and other purposes as required at his own cost.
- 2.2 Before commencement of the work, the contractor shall obtain written approval of the Engineer-in-Charge regarding the location of cement go-down, steel stacking and fabrication yard, site office etc and shall from time to time take instructions of the Engineer-in-Charge regarding collection and stacking of materials at the site. He shall have to make his own arrangement of space for storage of materials, if necessary.

3.0 OTHER TAXES AND ROYALTIES

The rates offered should be inclusive of all taxes such as GST, Construction Workers Welfare Cess and any other taxes or cess as applicable on the date of opening of financial bid. Insurance, loading, unloading, transportation etc should be included on the quoted rates but exclusive of contribution towards EPF/ESIC. The rate shall be firm & final. BSNL shall not entertain any claim whatsoever in this respect.

3.1 GST - The tenderer may note that payment/ TDS of GST shall be made as per Govt. of India Rules with latest amendments. BSNL shall not entertain any claim whatsoever in this respect. They have to submit their GST registration number. Contractor must note that at present the rate of GST for the work is 18%. Contractor may also note that the Government of India has notified the provision of TDS w.e.f. 01.10.2018. The bidders are advised to get familiarise themselves thoroughly in this regard before bidding. The Quoted rates should be inclusive of GST

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 15 of 32

- 3.2 The bidders must note that Rates to be quoted must be exclusive of contribution towards EPF/ ESIC. The EPF/ ESIC shall be reimbursed on production of receipt of deposit in this regard along with the invoice for the work.
- 3.3 Income Tax and surcharges over Income Tax etc. at the rates fixed by the Ministry of finance. Government of India, shall be deducted from all the running and final bills of the contractor. Should there be any increase in rate of Income Tax and surcharge during execution of the contract, the same shall be payable by the contractor.
- 3.4 **Royalty** at the prevalent rates, wherever payable, shall have to be paid by the contractor direct to the Revenue authority of the State Government concerned for the materials like boulders, metal, shingle, sand, bajri or any other items collected by him for the execution of the work. "No Demand" certificate from the State Authority concerned shall be obtained before the final bill is paid for such royalty being paid directly, failing which recovery will be affected from him at the prevalent market rates.
- 3.5 The contractor shall pay **Octroi** wherever applicable. The Form 'C'/ 'D', Octroi exemption certificates etc will not be issued by BSNL for any materials required in the work. The contractor shall quote all-inclusive rates only. Nothing extra shall be paid on this account.
- 3.6 However, if any further tax or levy or cess is imposed by statute, after the last stipulated date for the receipt of tender including extensions, if any, and the contractor thereupon necessarily and properly pays such taxes/levies the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer (whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 16 of 32

ADDITIONAL SPECIFICATIONS

1.0 GENERAL

- 1.1.1 The Work shall, in general, conform to the CPWD Specifications 2019 Vol. 1 & 2 with up to date correction slips.
- 1.1.2 Should there be any difference between the specifications mentioned above and the specifications given in the schedule of quantities, the later shall prevail.
- 1.1.3 If the specifications for any item are not available in the CPWD Specifications cited above, relevant BIS Specifications should be followed.
- 1.1.4 In case BIS Specifications are also not available, the decision of Engineer-in-Charge given in writing based on acceptable sound engineering practice and local usage shall be final and binding on the contractor.
- 1.1.5 The work will be carried out in accordance with the architectural drawings and structural drawings to be issued by the Engineer-in-Charge. The structural and architectural drawings shall have to be properly correlated before executing the work.
- 1.1.6 In case of any difference noticed between Architectural and Structural drawings, the contractor shall obtain final decision in writing from the Engineer-in-Charge.
- 1.1.7 In case of any discrepancy in the item given in the schedule of quantities appended with the tender and architectural drawings relating to the relevant item, former shall prevail unless otherwise given in writing by the Engineer-in-Charge
- 1.2 **WORK SAMPLES:** For items wherever so desired, samples shall be prepared before starting the particular items of work for prior approval of the Engineer-in-Charge and nothing extra shall be payable on this account.
- 1.3 DEWATERING CLAUSE: The contractor shall, at his own expense and without any extra charge, make provision for all shoring, pumping, dredging or bailing out water, if necessary. The foundation trenches shall be kept free from water, while all the works below ground level are in progress, without any extra payment. The water may be coming from any source such as rains, floods, subsoil water or due to any other cause whatsoever etc.

2.0 PROCUREMENT OF RAW MATERIALS

- 2.1 **Stone Aggregate:** Stone aggregate used in the work shall be crushed or broken hard stone to be obtained from approved source/ quarry and shall conform to the relevant provisions in the CPWD specifications.
- 2.2 **Coarse Sand:** Coarse sand used in the work shall be obtained from approved source and shall conform to the relevant provision in the CPWD specifications.
- 2.3 Fine Sand: Fine sand used in the work shall be obtained from approved source and shall conform to the relevant provision in the CPWD specifications. In case, sand available at above source does not conform to the required specifications, coarse sand shall be mixed in it to bring it to the required specifications. Nothing extra shall, however be paid for it.
 - **NOTE:** Where only one variety of sand is available, the sand will be sieved for use in finishing work, as directed by the Engineer-in-charge, in order to obtain smooth surface and nothing extra will be paid on this account.
- 2.4 **Sand for filling in Plinth:** The sand for filling in plinth under floor shall be obtained from approved source and shall conform to Clause-2.22.1 of CPWD specifications.
- 2.5 The fineness modulus of sand to be used in different works shall be as follows:

Coarse Sand	Fineness modulus between	As specified in the item like plain concrete, RCC work,
	2.5 to 3.5	flooring work etc.
Fine Sand	Fineness modulus between	As specified in the items like, finishing coat of cement
	1.2 to 1.6	plaster, skirting, dado etc.

- 2.6 Water: It shall conform to requirements laid down in IS: 456-2000 and CPWD Specifications.
- 2.7 **Bricks for Brick Work:** Bricks used in the work shall be well burnt FPS bricks of uniform colour throughout the cross section to be obtained from approved kilns. In all other respect they shall conform to the bricks local first class of class designation-75 given in CPWD specifications.
- 2.8 All above materials like stone aggregates, coarse sand, fine sand, Bricks, Stone etc. confirming to the CPWD specifications to be brought from the sources approved by Engineer-in-Charge. In case, at any stage during

Addition	Deletion	Correction	Overwriting
ContractorEn	gineer In Charge		Page 17 of 32

execution of work, the material from the approved source being not available or otherwise, and, is required to be arranged from other sources conforming to relevant CPWD specifications and duly approved of Engineer-in-Charge, involving extra lead etc, nothing extra shall be paid on this account.

3.0 PROCUREMENT OF READYMADE MATERIALS

- 3.1 The manufactured materials brought at site of work shall, in general, conform to the relevant specifications. The source for supply of the manufactured materials shall be approved by the Engineer-in-Charge. The contractor shall have no claim if the manufactured materials brought to the site are rejected by the Engineer-in-Charge in part or in full due to bad workmanship/ quality etc.
- 3.2 The preference amongst the various alternative materials available shall be as follows:
 - (a) The materials shall be as per the Brand specified to be used in the work.
 - (b) If the Brand specified material is not available then the material shall be ISI marked.
 - (c) If ISI marked item is not available then it should be from ISO certified Company.
 - (d) If the ISI marked or ISO certified items are not available then the best available items in the market to be procured.
- **3.3 Equivalents for the various materials** and the materials of approved make shall be got approved from the Engineer-in-Charge of work in writing before using them on the work.

4.0 CEMENT AND STEEL (GENERAL)

- 4.1 **The contractor shall procure cement & steel as required in the work.** The quantities brought at site shall be entered in the respective material at site accounts and shall be treated as issued for maintenance of daily consumption.
- 4.2 The actual issue and consumption of steel and cement on the work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein.
- 4.3 The daily account of the receipt/ issue of cement shall be maintained in a register in the prescribed proforma as given below & signed daily by the contractor or his authorised representative in token of its correctness:

ipt	Particul Rece		Particular of issue					Particular of issue Remarks			(S
Date Of Rece	Quantity received invoice no & date	Progressive total	Date of issue	Quantity issued	Item of work for which issued	Quantity returned at the end of the day	Total issued	Daily Balance in hand.	Contractor's initials	JE's initials	AE/EE's periodical check
1	2	3	4	5	6	7	8	9	10	11	12

4.4 Steel and Cement brought to site and cement remaining unused after completion of work shall not be removed from site without the written permission of the Engineer-in-charge.

5.0 PROCUREMENT OF CEMENT

- 5.1 The contractor shall procure 43 grade (conforming to IS:8112) Ordinary Portland Cement, as required in the work, from the reputed manufacturers of cement, having a production capacity of one million tonnes per annum or more, as approved by the Ministry of Industry, Government of India, and holding license to use ISI certification mark for their product, whose name shall be got approved from Engineer-in-charge. Cement 53 grade shall not be used in the work.
- 5.2 Supply of cement shall be taken in 50 kg bags, bearing manufacturer's name and ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in-charge and got tested in accordance with provisions of the relevant BIS codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-charge to do so.
- 5.3 The total quantity of cement required shall be brought at site in one lot or as decided by the Engineer-in-charge.
- 5.4 **The CEMENT GO-DOWN** of the capacity to store about 300 bags of cement or as decided by the Engineer-in-charge, shall be constructed by the contractor at site of work.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 18 of 32

- 5.4.1 Cement go-down shall be in general as per the sketch shown in contract documents, having weather proof roof & walls and with a proper floor consisting of 2 layers of dry bricks laid on the well consolidated earth at a level at least one foot above the ground level. The cement bags shall be stacked about 200mm (clear) above the dry brick flooring using suitable wooden planks / battens. The stacks shall be in rows of two bags deep and 10 bags high with a minimum of 2 feet clear space all around. The bags should be placed horizontally continuous in each line. Nothing extra shall be paid to the contractor on this ground.
- 5.4.2 The size of cement go-down indicated in the contract form is only for guidance. The actual size of the go-down shall be constructed by the contractor at his own cost, as per the requirement of work.
- 5.4.3 Double lock provision shall be made to the door of cement go-down. The keys of one lock shall remain with the Engineer-in-charge or his authorised representative and the keys of other lock shall remain with the contractor. The contractor shall facilitate the inspection of the cement go-down by the Engineer-in-charge at any time.
- 5.4.4 The contractor shall be fully responsible for the safe custody of the material even if the material is under double lock system.

6.0 PROCUREMENT OF STEEL

- 6.1 The contractor shall procure TMT Bars conforming to relevant BIS codes from any of the SAIL, Tisco, RINL or equivalent as specified in schedule–F.
- 6.2 The contractor shall have to obtain and furnish test certificates to the Engineer-in-charge in respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer-in-charge as per the provisions in this regard in the relevant BIS codes. In case the test results indicate that the steel arranged by the contractor does not conform to BIS codes, the same shall stand rejected and shall be removed from the site of work within a week's time of written order from the Engineer-in-charge to do so.
- 6.3 The steel reinforcement shall be brought to the site in quantity of lots as approved by the Engineer-in-charge.
- 6.4 Coefficient of weight i.e. the weight per unit length of the Steel procured by the contractor shall be ascertained at site before using it and certified by the Engineer-in-charge. In case weight per unit length is beyond the rolling margin as laid down in the BIS: 1786, the steel will be rejected and shall be removed as per para 1 above. In case weight per unit length is more than the standard coefficient of weight for the diameter, but is within the rolling margin, then the payment shall be made as per the standard weight per unit length, and, where the weight per unit length is lesser than the standard coefficient of weight for the diameter, but is within the rolling margin, the payment shall be restricted with respect to the actual weight per unit length of the diameter.
- 6.5 The standard sectional weights referred to in standard table under para 5.3.3., page 75 of the revised CPWD Specifications 2009 for Cement Mortar, Cement Concrete and RCC works, are to be considered for conversion of length of various sizes of Steel Reinforcement bars into weight and are reproduced below for ready reference.

Size (Diameter in mm)	Weight (Kg./M.)	Size (Diameter in mm)	Weight (Kg./M.)
6	0.222	20	2.470
8	0.395	25	3.850
10	0.617	28	4.830
12	0.888	32	6.310
16	1.580	36	7.990

- 6.6 The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes and lengths shall be stored separately to facilitate easy counting and checking.
- 6.7 For steel procured from main producers, for checking nominal mass, tensile strength, bend test, etc. specimen of sufficient length shall be cut from each diameter of the bar at random at frequency not less than that specified below. In case of works costing more that 2 Crores and when the steel is procured from other than main producers, additional tests such as, retest, re-bend test, elongation test, proof stress may also be conducted

Size of bar	For consignment below 100 tonnes	For consignment over 100 tonnes
Under 10 mm dia	One sample for each 25 tonnes or	One sample for each 40 tonnes or part thereof
	part thereof	
10 mm to 16 mm dia	One sample for each 35 tonnes or	One sample for each 45 tonnes or part thereof
	part thereof	
Over 16 mm dia	One sample for each 45 tonnes or	One sample for each 50 tonnes or part thereof

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 19 of 32

parit	Inereor	
nowt t	boroof	

7.0 TESTING OF MATERIALS & RELATED ASPECTS

- 7.1 Materials brought at site of work shall not be used in the work before getting satisfactory Mandatory test results. For details, relevant provisions in the CPWD specification shall be referred to.
- 7.2 If the testing specifications for any material are not available in the CPWD Specifications cited above, relevant BIS Specifications should be followed.
- 7.3 The contractor shall procure all the materials/ samples in advance, so that there is sufficient time for testing of the same before use in work.
- 7.4 Samples of various materials required for testing shall be provided free of charge by the contractor. However the cost of the tests shall be paid by the contractor which shall be reimbursed by BSNL, only if the test reports are satisfactory. The test shall be got done only from lab approved by the Engineer-In-Charge.
- 7.5 All other expenditures incurred for testing such as packing, sealing, transportation, loading, unloading etc shall be borne by the contractor himself.
- 7.6 Part rate payment shall be allowed in the running account bills only if the materials conforming to the CPWD specifications for works as mentioned in the work are tested and test results are found to be satisfactory by the Engineer-in-Charge.
- 7.7 The Engineer-in-Charge of work shall check the test results and satisfy himself before allowing any payment in the running/final bill.
- 7.8 No claims of any kind whatsoever including the claim of extension of time shall be entertained due to incorporation of above requirements for testing of materials.
- 7.9 **CC Cube Test:** With a view to avoid controversy about quality of cement concrete as revealed in the test result of 7 days cubes falling short of the prescribed standard by over 10% to 20% and pending testing of balance 3 cubes for 28 days as final confirmatory acceptance test, crushed samples of cement concrete from the failed 7 days cubes should be preserved in a sealed bag.

8.0 GENERAL MEASUREMENT OF WORK

8.1 **The work shall be executed and measured as per Metric Dimensions** given in the schedule of quantities, drawings etc. (FPS units wherever indicated are for guidance only).

9.0 EARTH WORK

- 9.1 During excavation and trenching work etc. the contractors shall ensure compliance to the guidelines in such matters laid down by the local body/bodies to ensure that there is minimum hazard to the operating personnel's and users, minimum inconvenience to the users, minimized damage to the underground plant/services of other utilities in a coordinated way, in the interest of public convenience and overall safety.
- 9.2 Any trenching and digging for laying sewer lines/water lines/cables etc. shall be commenced by the contractor only when all men, machinery and materials have been arranged and closing of the trench (s) thereafter shall be ensured within the least possible time.
- 9.3 Surplus excavated earth which is beyond the requirement of the BSNL shall have to be disposed off by the contractor at his own cost after obtaining written permission of the Engineer-in-charge and no payment will be made by the BSNL for disposal of this surplus excavated earth.
- 9.4 The excavated earth (or building materials) shall not be stacked on areas where other buildings, road, services or compound wall or any other structure are to be constructed.

10.0 PLAIN AND REINFORCED CEMENT CONCRETE WORK

- 10.1 Non-destructive Testing for Concrete/R.C.C Work: The Engineer-in-Charge shall, at his discretion, get the non-destructive testing (Such as Ultrasonic Pulse Velocity Test etc.) done and the Contractor shall make all necessary arrangements for getting such tests done and make good the same after the test, for which nothing extra shall be paid. The results of such tests shall be binding on the Contractor. In case of nonconformity of the test to the standards, the contractor shall be liable to redo the concrete work at his cost including the cost of test, subject however, to the acceptability of the work as laid down in the mandatory test defined in the relevant CPWD specifications.
- 10.2 Cement slurry, if any, added over base surface (or) for continuation of concreting for better bond is deemed to have been in built in the items (Unless otherwise explicitly stated) and nothing extra shall be payable (or) extra cement considered in consumption on this account.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 20 of 32

- 10.3 Proper Grooves shall be provided in plaster along junctions of RCC Work and Brick/Stone work as per directions of the Engineer-in-charge and nothing extra will be paid on this account.
- 10.4 In the item of RCC walls, railings and roofs etc. nothing extra shall be paid for making designs as per pattern given by Architects or for thickness of sections.
- 10.5 The rate of item for reinforcement in R.C.C. work includes all operations including straightening, cutting, bending, binding with annealed steel wire and placing in position at all the floors with all leads and lifts complete.

11.0 CENTRING AND SHUTTERING FOR R.C.C. WORK

- 11.1 The concrete surface shall be free from honeycombing, offsets, superfluous mortar, cement slurry and foreign matter. The formwork shall be assembled in such a way as to facilitate removal of their parts in proper sequence without any damage to the exposed cement concrete surfaces and corners etc.
- 11.2 The contractor shall keep skilled staff for special care and supervision to check the formwork and concreting so that every member is made true to its size, shape, level and alignment so that it does not result in any deformation, snug, bulges etc. The contractor shall also take suitable precautionary measure to prevent breaking and chipping of corners and edges of completed work until the building is handed over.
- 11.3 The size of shuttering plates for slabs shall not be less than 0.6mx0.9m in general. However, contractor has to provide tape or wooden fillets or rubber gaskets to seal the joint properly to get smooth surface.
- 11.4 Further, shuttering shall be of such quality that there are no undulations and surfaces will be fairly even and no extra thick ceiling plaster shall be permitted to make the surface even. Any honeycombed or poorly formed concrete shall be repaired with polymer concrete of any suitable design by the Contractor at his own cost, in accordance with the specifications laid down in hand book of Repairs and Rehabilitation of RCC Buildings by CPWD.
- 11.5 Steel centring & shuttering, scaffolding and props shall be used for all the items of RCC. All propping and centring shall be either of steel tubes with extension pieces or built up sections of rolled steel. Shuttering used for concreting shall be sufficiently stiffened and of good quality mild steel plates free from dents, bends or warping and rusting. For shuttering of beam bottom, staircase and fins and for other places where use of steel shuttering is not found to be feasible, waterproof shuttering ply shall be used with prior approval of the engineer-in-charge.
- 11.6 All scaffolding, centring and shuttering shall be with properly designed system which shall be got approved from Engineer-in-Charge and centring and shuttering required for RCC work will be brought to site by the contractor well in advance so that the progress of the upper floors is not hampered due to non-availability of the same. Nothing extra shall be paid for this.
- 11.7 In respect of **projected balconies**, **projected slabs at roof level and projected verandah**, payment for the RCC work shall be made under the item of RCC slabs. The payment for centring and shuttering of such item shall similarly be paid under the item of centring and shuttering of RCC slab., all the exposed edge shall however, be finished as per specification and nothing extra shall be paid for this.

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 21 of 32

PREFERRED LIST OF VARIOUS ITEMS/ PRODUCTS TO BE USED FOR THE FOLLOWING WORK

NAME OF WORK:- Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank of T.E. Building and other miscellaneous Civil works at Naila, District:- Janjgir-

Champa.

SI. No.	Material / article	Conforming IS code	Manufacturers / Agencies / brand / make
1	Cement	IS 8112:1989 IS 1489 (Part-I)	Ordinary Portland Cement 43 grade (Conforming to IS: 8112)/ Fly ash Blended Cements conforming to IS 1489 (Part I) from reputed manufactures of cement such as A.C.C., Jay Pee Cement, Reliance, Ultratech, Shri Cement, Gujrat Ambuja Cement and Cement Corporation of India etc. as approved by Ministry of Industry, Government of India, and holding license to use ISI certification mark for their product whose name shall be got approved from Engineer-in-Charge.
2	Steel Reinforcement	IS 1786:2008	Thermo mechanically treated bars Fe-500 Grade from approved brands like SAIL, TISCO, RINL etc.
3	Structural Steel		
4	Sand (Coarse <u>/ Fine</u>)		River sand (Source to be approved by Engineer-in-Charge.)
5	Brick		Local First Class available (Source to be approved by Engineer-in-Charge.)
6	Stone Aggregate		(Source to be approved by Engineer-in-Charge.)
7	Synthetic Enamel paint	IS 2933:1975	First Quality of Asian, Louis Berger, ICI Dulux, Nerolac

NOTE:

- 1. For any other make, prior approval of Engineer-in charge is required before execution in work.
- 2. All mandatory tests and other tests shall be made as per the departmental guidelines applicable and as required by Engineer-in-charge.
- 3. The contractor at his own cost shall ensure before tendering samples for approval of material/article that the material/article of above mentioned Manufacturers/Agencies/brand/make shall fully comply with the item nomenclature, drawings, Agreement specifications, CPWD Specifications 2019, Test results etc. Any deviation shall be brought to the notice of the Engineer-in-charge. Failure on all or any of the aforementioned accounts, the sample shall be rejected. The decision of Engineer-in-charge in this regard shall be final and binding on the contractor.

Executive Engineer (Civil)

BSNL Civil Division,

Bilaspur

CERTIFICATE

I/we hereby undertake that I/We/My authorized representative have received the copy of the stated list (along with the tender document) of brand names of various items to be used for the above work and I/We shall quote my rates of various items of schedule accordingly.

I hereby also certify that I shall use only the above referred brands in the work and in case any other brand is used then I shall not claim for the payment of that item.

Signature of Contractor or his authorized representative with seal

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 22 of 32

PROFORMA FOR AGREEMENT

(ON NON-JUDICIAL STAMP PAPER OF APPROPRIATE VALUE)

CONTR	RACT AGREEMEN	FOR THE WORK OF		DATED	- Between M/s-
(which assigns	term shall unless ex s) of the one part an ed by or repugnant t	cluded by or repugnant to defect the Bharat Sanchar Niga of the subject or context income.	be subject or context incl im Limited hereinafter call	lude its successors and լ led the BSNL (which teri	permitted m shall unless
Α.	The BSNL is desir be executed as m General Conditions	ous that the construction of entioned, enumerated or its of the Contract, Special (etion of jobs, Schedule of	referred to in the tender in Conditions of the Contract	t, Specifications, Drawing	nviting Tender, gs, Plans, Time
В.	has satisfied hims strata, soil, sub-so and magnitude of means of access t has made local ar referred to or impl nature and extent the execution and considered all othe all matters inciden which might have i	s inspected the site and self by carefully examination if and grounds, the form at the work the availability of o site, the supply of power and independent enquiries at ited in the tender document of all the probable and power matters, conditions and tall thereto and ancillary influenced him in making h	on before submitting his and nature of the site and flabour and materials not and water thereto and the and obtained complete in a not sor having any connect possible situations, delays, to be carried out under things and probable and thereof affecting the execute the state of	tender as to the nature of local conditions the quecessary for the execution he accommodation he nation therewith, and has hindrances or interfered the contract, and has possible contingencies cution and completion of	of the surface, nature on of work, the nay require and ters and things considered the nces to or with examined and , and generally of the work and
C .	Special Condition Drawings, plan, tir agreed variations separately set out AND WHEREAS The BSNL accepte	nents including the BSNL's of Contract, Schedule ne schedule for completion with its enclosures copies herein and are included in ed the tender of M/s	of Quantities and rates of work. Letter of Acce of which are hereto ann the expression Contract v	s, General obligations, eptance of tender and an nexed form part of this owherever herein used.	Specifications, ny statement of contract though (Contractor) for
	dated	at the rates stated called the Schedule of Rat	in the Schedule of quant	tities for the work and a	ccepted by the
NOW T	HIS AGREEMENT	WITNESSTH & IT IS HER	EBY AGREED AND DEC	CLARED AS FOLLOWS	5.
1.	hereby convenient maintain the said described or which	the payment to be made to with the BSNL that the work and shall do and per are to be implied and the lat the said times and in the contract, AND	contractor shall and will perform all other acts an ere-from or may be reaso	I duly provide, execute, and things in the contraction onably necessary for the	complete and t mentioned or e completion of
2.	does hereby agree work actually done	f the due provisions exect e with the contractor that by him and approved by the nder provision of the contract.	the BSNL will pay to cor the BSNL at the Schedule	ntractor the respective a e or Rates and such oth	mounts for the er sum payable
3.		subject to the jurisdiction	of Court at <mark>Bilaspur</mark> or	nly." (Where the NIT/Te	nder has been
	contractor shall ha	and distinctly understood ave no right, title or intere uilding, structures or work etc. brought on the said s	st in the site made avail s executed on the said s	able by the BSNL for e site by the contractor o	xecution of the r in the goods,
Additio	า	Deletion	Correction	Oven	writing
Contra	ictor	Engineer In Charge			Page 23 of 32

the contractor shall not have or deemed to have any lien whatsoever charge for unpaid bills will not be entitled to assume or retain possession or control of the site or structures and the BSNL shall have an absolute and unfettered right to take full possession of site and to remove the contractor, their servants, agents and materials belonging to the contractor and lying on the site.

In Witness whereof the parties hereto have here-into set their respective hands and seals in the day and the year first above written.

	Signed and delivered	ed for and on behalf of	Signature and delivered for and o contractor	n behalf of the
	(BHARAT SANCHAR OFFICIAL ADDRESS			(Contractor)
	Date Place		Date Place	
	IN PRESENCE OF T	WO WITNESSES		
	SIGNATURE NAME SIGNATURE NAME		SIGNATURE NAME SIGNATURE NAME	
For Pro	oprietory Concern			
	Shri	S/O	R/O	carrying
		•	at (Hereinafter calle	
	-	-	otherwise include his heirs, exec	cutors, administrators
and leg	gal representatives).			
		a part	tnership firm having its re Contractor which expression sha	egistered office at
-	es otherwise include ms are:	e his heirs, executors, adı	ministrators and legal representati	ves). The partners of
	i) Shri	S/O	, And	
	ii) Shri	S/O	etc.	
For Co	mpanies			
	M/s	a company	duly incorporated under the Indian	Companies Act, 1956
	-		in the state of	-
		or which expression sha	all unless the context requires	otherwise include its
succes	ssors and assign).			
Additio	n	Deletion	Correction	Overwriting
Contra	actor Er	ngineer In Charge		Page 24 of 32

FORM OF PERFORMANCE SECURITY BANK GUARANTEE BOND

between		of agreement No(her	
contractor(s)") for	the	work (hereinafter calle	d "the said agreement") for
	bligation in accordance w	vith the terms and conditions in	n the said agreement.
We		(indicate the name of the Ban	k) (hereinafter referred to as "as
Bank) hereby unde	ertake to pay to the B only) on demand by the	SNL and amount not excee e BSNL.	ding Rs(Rupees
We		(Indicate the name of the	Bank) do hereby undertake to
stating that the amo contractor(s). Any su by the bank under th	and payable under this Gua bunt claimed is required to ch demand made on the B iis Guarantee. However, on	arrantee without any demure, meno o meet the recoveries due or ank shall be conclusive as regar ur liability under this guarantee s only).	ely on a demand from the BSNL likely to be due from the said ds the amount due and payable
he contractor (s) in		so demanded notwithstanding arending before any court or Tribucal.	
	by us under this bond shall I have no claim against us	be valid discharge of our liability making such payment.	for payment to there-under and
We	(Indicate	e the name of Bank) further ag	gree that the quarantee hereir
contained shall rema said agreement and said agreement have of the BSNL certifies	in in full force and effect d that it shall continue to be e been fully paid and it is cl	uring the period that would be to enforceable till all the dues of the aims satisfied or discharged or ti ons of the said Agreement have	aken for the performance of the BSNL under or by virtue of the ill Engineer-in-charge on behalt
shall have the fullest wary any of the tern contractor(s) from tin against the said con agreement shall not l the said contractor(s) BSNL to the said co	liberty without our consen- ns and conditions of the sine to time or to postpone for tractor(s) and to forebear to relieved from our liability or for any forbearance accepts.	the name of Bank) further agree thand without affecting any many said agreement or to extend time or any time to time any of the por enforce any of the terms and by reasons of any such variation to form on that part of the high matter or thing whatsoever weed or so relieving us.	ner our obligations hereunder to me of performance by the said owers exercisable by the BSNL d conditions relating to the said on or extension being granted to BSNL or any indulgence by the
The guarantee will no	ot be discharged due to the	change in the constitution of the	Bank or the contractor(s).
We		(indicate the name of Banl	k) lastly undertake not to revoke
this guarantee excep	t with the previous consent	of the BSNL in writing.	nand by RSNI Notwithstanding
(Rs.	only) and u	unless extended on demagainst this Guarantee is ranless a claim in writing is lodged this guarantee, all our liabilities untiled.	with us within six months of the
the	date of for		- (la Barta Harraman d Barta
			(Indicate the name of Bank)
tion	Deletion	Correction	Overwriting

UNDERTAKING FOR NO NEAR RELATIVE IN BSNL C.G. Zone

(TO BE GIVEN BY EVERY TENDERER)

I/We.		.S/o Sh		Resident
of		.hereby certify	that none of my ne	ear relative(s) as under is/are
employed in	territorial jurisdiction	of BSNL Teleco	m Circle, C.G. Zone i	n any capacity i.e. either Non-
Executive or	Executive employee.			
b) c) d) e) f) g) h) i)	Daughter(s) Daughter's husband	r-in-law) (Son-in-law)		
	ny stage, it is found ou t to take any action as			/incorrect, BSNL shall have the to me.
				Signature of Tenderer
Note: In case	e of a partnership firm t	his Certificate is t	o be signed by all Part	ners/directors of the Company.
		Signature	of Partners/Director	s
		1.		
		2.		
	An undertaking	is to be given by	the tendering contract	or as below :-
of online bid enlistment/d	ot submit the physical	bid document/te as breach of co ring in BSNL for s	echnical bid consequer ndition and action sh six months."	ntly three times after submission all be taken to withdraw my/our
i, nereby und	der take that I am not b	ack listed by GS	i authorities.	
				Signature of Tenderer
Addition			Correction	Overwriting
Contractor	Engineer In	Charge		Page 26 of 32

ANNEXURE-(I)

AFFIDAVIT

I/We	have	submitted	а	Bank	Guarantee	for	the	work
				(Name	of	Work),	Agr	reemen
		from _						
with a vie	ew to seek exe	emption from paym	ent of p	performance g	uarantee in cash	n. This Bank g	uarantee exp	oires or
I/ We und	dertake to kee	p the validity of the	bank g	uarantee intact	t by getting it exte	ended from tim	ne to time at	: my/ou
own initia	tive up to a pe	eriod of			months afte	er the recorded	d date of cor	npletior
		ted by the Engineer						
I/We also guarantee		Bharat Sanchar Niç	gam Lim	nited against ar	ny losses arising o	out of non-enca	ashment of t	he bank
							•	ponent)
						Sig	nature of Co	ntracto
Nists The		La disanta da Aba Essa		Lafana a finak a	la ca Maridado de			
Note: The	e anidavit is to	be given by the Exe	cutants	perore a first c	iass Magistrate.			
Addition -		Deletion		Correc	etion	(Overwriting	
Contract	or	Engineer In Char	ge				Page 2	7 of 32



Tender Inviting Authority: Executive Engineer (Civil) BSNL Civil Division Bilaspur

Name of Work: Providing and fixing barbed wire fencing, making arrangement for water supply to over head tank of T.E. Building and other miscellaneous Civil works at Naila, District:- Janjgir-Champa.

Contract No: 01/2024-25/BSNL/CD/BILASPUR Date: 24.04.2024

Name of the Bidder/ Bidding Firm / Company : PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) NUMBER # TEXT# NUMBER TEXT # NUMBER NUMBER TEXT# TOTAL AMOUNT SI. Item Description Quantity Units BASIC TOTAL No. AMOUNT RATE In With In Words **Figures** To be **Taxes** entered by the Rs. 13 55 1 2 4 5 54 1 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift up to 1.5m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m: 1.01 All kinds of soil. 3.00 One Cubic 0.00 INR Zero Only Metre 2 500.00 0.00 INR Zero Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees One Square Only and saplings of girth up to 30 cm measured at a height of 1 m above ground Metre level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared 2.01 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering : All work up to plinth level : 3 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size). 2.00 One Cubic 0.00 INR Zero Metre Only 3.01 1:5:10 (1 Cement: 5 coarse sand:10 graded stone aggregate 40 mm nominal 2.00 One Cubic 0.00 INR Zero Only size). Metre Brick work with common burnt clay F.P.S. bricks of class designation 35 in foundation and plinth in : 4.01 Cement mortar 1:6 (1 cement: 6 coarse sand). 0.00 INR Zero One Cubic Metre Only 5 12 mm cement plaster of mix : 5.01 INR Zero 1:6 (1 cement: 6 fine Sand). 10.00 One Square 0.00 Only Metre 6 15 mm cement plaster on the rough side of single or half brick wall of mix : 6.01 1:6 (1 cement: 6 fine sand) 10.00 0.00 INR Zero One Square Only Metre 7 6 mm cement plaster of mix : 7.01 10.00 0.00 INR Zero 1:3 (1 Cement: 3 fine sand). One Square Only Metre 8 Providing and fixing on wall face un plasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to $\,$ IS : 5382 $\,$ leaving 10 mm gap $\,$ for thermal expansion : Single socketed pipes :

Addition	Deletion	Correction	Overwriting
Addition	Deletion I	COLLECTION	Overwilling

8.01	110 mm diameter.	15.00	One Metre	0.00	INR Zero Only
9	Providing and fixing on wall face unplasticised - PVC moulded fittings / accessories for un plasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion:				
9.01	Coupler:				
9.02	110 mm.	5.00	Each	0.00	INR Zero
9.03	Single tee with door :				Only
9.04	110 mm.	3.00	Each	0.00	INR Zero
9.05	Bend 87.5 degree :				Only
9.06	110 mm bend.	3.00	Each	0.00	INR Zero Only
9.07	Shoe (plain) :				Offiny
9.08	110 mm shoe.	3.00	Each	0.00	INR Zero Only
10	Providing and fixing unplasticised-PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50 x 50 x 50 mm hard wood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement: 4 coarse sand) and making good the walls etc complete:				Only
10.01	110 mm.	6.00	Each	0.00	INR Zero Only
11	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre of approved manufacturer of required shade and colour complete, as per manufacturer's specification.				
11.01	Two or more coats on new work	200.00	One Square Metre	0.00	INR Zero Only
12	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	400.00	One Square Metre	0.00	INR Zero Only
13	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.				
13.01	Two coats	200.00	One Square Metre	0.00	INR Zero Only
14	Distempering with 1st quality acrylic distemper (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade:				
14.01	Old work (one or more coats)	500.00	One Square Metre	0.00	INR Zero Only
15	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	200.00	One Square Metre	0.00	INR Zero Only
16	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
16.01	One or more coats on old work	150.00	One Square Metre	0.00	INR Zero Only
17	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade				
17.01	Old work (Two or more coats applied @ 1.43 ltr/ 10 sqm) over existing cement paint surface	260.00	One Square Metre	0.00	INR Zero Only
17.02	Old work (one or more coats applied @ 0.83 ltr/10 sqm).	700.00	One Square Metre	0.00	INR Zero Only
18	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq meters20 mm in patches of area 2.5 sq meters and under including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete including disposal of rubbish to dumping ground within 50 metres lead:				

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 29 of 32

18.01	With cement mortar 1:4 (1 cement :4 coarse sand).	10.00	One Square Metre	0.00	INR Zero Only
19	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:				
19.01	Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	2.00	One Square Metre	0.00	INR Zero Only
20	Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre) (if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account)	1000.00	One Litre	0.00	INR Zero Only
21	Removal of choakage from C.I. / HDPE pipes and fittings SW pipes etc. upto gully traps cleaning and disposal of all types of rubbish and sludge as directed by Engineer in charge.	2.00	Each	0.00	INR Zero Only
22	Providing skilled labour for trade like plumbing / masonry / carpentry / works which are not covered and measurable in items of DSR [Note: contractor shall provide skilled labour of respective trade along with necessary tools and plants].	5.00	One Day	0.00	INR Zero Only
23	Providing unskilled/casual labour, coolie / beldar for day to day maintenance work which are not covered and measurable in items of DSR.	5.00	One Day	0.00	INR Zero Only
24	Cleaning of terrace including cleaning of outlet for rain water, chhajja and disposal of rubbish, malba out of compound etc. complete as per direction of Engineer in charge.	1.00	One Job	0.00	INR Zero Only
25	Demolishing cement concrete & CC Flooring manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
25.01	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	1.00	One Cubic Metre	0.00	INR Zero Only
26	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
26.01	In cement mortar	1.00	One Cubic Metre	0.00	INR Zero Only
27	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	1.00	One Cubic Metre	0.00	INR Zero Only
28	Supplying at site :				
28.01	R.C.C. Standards post/ struts/rails/ pales of mix 1:1.5:3 (1 cement : 1.5 coarsesand : 3 graded stone aggregate 12.5 mm nominal size) with wooden plugs or 6mm bar nibs wherever required as per direction of Engineer-in-charge (cost of earth works in excavation, concrete works in foundation to be paid separately).	2.00	One Cubic Metre	0.00	INR Zero Only
29	Fencing with R.C.C. post placed at required distance, embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post one side only, provided with horizontal lines and two diagonals of barbed wire weighing 9.38 kg per 100 metres (minimum), between the two posts fitted and fixed with G.I. staples on wooden plugs or G.I. binding wire tied to 6 mm bar nibs fixed while casting the post (cost of R.C.C. posts, struts, earth work and concrete to be paid for separately):- Payment to be made per metre cost of total length of barbed wire used.				
29.01	With G.I. barbed wire	1092.00	One Metre	0.00	INR Zero Only

Addition	Deletion	Correction	Overwriting
Contractor	Engineer In Charge		Page 30 of 32

30	Repairs to wooden / aluminium doors, windows etc. including dismantling and re fixing the same with screws, or by welding if required hinges, etc. doing all the operation complete as per direction of Engineer in charge. [Note: New Section, new hinges, fittings etc. if required will be paid for separately].	5.00	One Square Metre	0.00	INR Zero Only
31	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.: Internal work - Exposed on wall				
31.01	15 mm nominal outer dia. Pipes.	1.00	One Metre	0.00	INR Zero
31.02	20 mm nominal outer dia. Pipes.	1.00	One Metre	0.00	Only INR Zero
31.03	25 mm nominal outer dia .Pipes.	1.00	One Metre	0.00	Only INR Zero
31.04	40 mm nominal outer dia. Pipes.	5.00	One Metre	0.00	Only INR Zero
32	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall :				Only
32.01	15 mm dia nominal bore.	1.00	One Metre	0.00	INR Zero Only
32.02	20 mm dia nominal bore.	1.00	One Metre	0.00	INR Zero Only
32.03	25 mm dia nominal bore.	1.00	One Metre	0.00	INR Zero Only
32.04	40 mm dia nominal bore.	5.00	One Metre	0.00	INR Zero Only
33	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc.: External work				
33.01	40 mm dia. nominal bore	30.00	One Metre	0.00	INR Zero Only
34	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:				
34.01	25 to 40 mm nominal bore	2.00	Nos.	0.00	INR Zero Only
35	Providing and fixing un plasticised PVC connection pipe with brass unions :				
35.01	30 cm length :				
35.02	15 mm nominal bore.	4.00	Each	0.00	INR Zero Only
36	Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws including excavation, refilling the earth or cutting of wall and making good the same complete wherever required:				
36.01	15 mm nominal bore.	1.00	Each	0.00	INR Zero Only
36.02	20 mm nominal bore.	1.00	Each	0.00	INR Zero Only
36.03	25 mm nominal bore.	1.00	Each	0.00	INR Zero Only
36.04	40 mm nominal bore.	1.00	Each	0.00	INR Zero Only
36.05	50mm nominal bore	1.00	Each	0.00	INR Zero Only
37	Providing and fixing PTMT bib cock of approved quality and colour.				
37.01	15mm nominal bore, 86 mm long, weighing not less than 88 gms.	6.00	Each	0.00	INR Zero Only
38	Providing and fixing PTMT stop cock of approved quality and colour.	2.2-			IND 7
38.01	15 mm nominal bore, 86 mm long, weighing not less than 88 gms.	2.00	Each	0.00	INR Zero Only
39	Grading roof for water proofing treatment with				
39.01	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	3.00	One Cubic Metre	0.00	INR Zero Only

Addition	Deletion	Correction	Overwriting
Contractor	. Engineer In Charge		Page 31 of 32

Words					
Quoted Rate in			IN	R Zero Only	
Total in Figures				0.00	INR Zero Only
	up to seven story height made with 40 mm dia Bamboo 1.5 m centre to centre, horizontal & vertical bamboo joining with Coconut Rassi, challies, Bamboo staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineerin-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding.		Metre		Only
45	Providing and fixing G.I. tank nipples and washers for preventing leakage of tank, cutting and threading the pipe and making long screws and fixing of tank nipples in PVC tank with M-SEAL etc. complete wherever required and as per direction of Engineer in charge: Providing and fixing double scaffolding system (with bamboo) on the exterior side,	1.00	Each One Square	0.00	INR Zero Only
44.01	15 mm to 40 mm dia G.I. Pipe	2.00	One Metre	0.00	INR Zero Only
44	Removing of G I pipes (Internal work) including removing clamping and stacking at required place as directed by Engineer-in-charge.				
43	Providing and fixing Standard Brass waste Coupling to Wash Basins/Urinals of required size etc. complete as directed by the Engineer-in-Charge.		Each	0.00	INR Zero Only
42.04	40 mm nominal bore.	1.00	Each	0.00	INR Zero Only
42.03	25 mm nominal bore.	1.00	Each	0.00	INR Zero Only
42.02	20 mm nominal bore.	1.00	Each	0.00	INR Zero Only
42.01	15 mm nominal bore.	1.00	Each	0.00	INR Zero Only
42	Providing and fixing brass half turn gate valve with M.S. handle of ZOLOTO or equivalent make as approved by the Engineer in charge and as per manufacturer specification:				
41	Providing and fixing HDPE tank cover with suitable locking arrangement complete as per direction of Engineer in charge.		Each	0.00	INR Zero Only
40	Providing and fixing C.P. brass Pillar cock 15 mm nominal bore of standard design and of approved make conforming to IS specification.		Each	0.00	INR Zero Only

- Note:
 1. The Contractor / supplier shall quote the rates inclusive of GST and other Taxes.
- 2. The bidders/contractor shall submit financial Bid / price Bid on line through https://etenders.gov.in/eprocure/app using a valid Digital Signature Certificate (DSC). No other mode of submission is permitted.
- 3. The Contractor / supplier will have to read carefully nomenclature of the items of schedule.

Executive Engineer (Civil) BSNL Civil Division Bilaspur

Deletion	Correction	Overwriting
Engineer In Charge		Page 32 of 32
		Deletion Correction Engineer In Charge